

PUBLIC UTILITIES COMMISSION

505 VAN NESS AVENUE
SAN FRANCISCO, CA 94102-3298



December 26, 2018

Jeffrey T. Linam
Vice President of Rates & Regulatory
California-American Water Company
4701 Beloit Drive
Sacramento, CA 95838-2434

Dear Mr. Linam,

The Commission has approved California-American Water Company's Advice Letter No. 1219, filed on December 3, 2018, regarding updating the Sacramento District Parkway tariff map.

Enclosed are copies of the following revised tariff sheets for the utility's files:

P.U.C.	
Sheet No.	Title of Sheet
8872-W	Sacramento District Tariff Area
8873-W	Table of Contents (Page 2)
8874-W	Table of Contents (Page 1)

Please contact Jim Boothe at 415-703-1748, if you have any questions.

Thank you,

/s/ROBIN BRYANT

Robin Bryant
Water & Sewer Advisory Branch
Water Division

Enclosures

CALIFORNIA PUBLIC UTILITIES COMMISSION
DIVISION OF WATER AND AUDITS

Advice Letter Cover Sheet

Utility Name: California American Water Date Mailed to Service List: December 3, 2018
District: Sacramento District
CPUC Utility #: U210W Protest Deadline (20th Day): December 24, 2018
Advice Letter #: 1219 Review Deadline (30th Day): January 2, 2018
Tier 1 2 3 Compliance Requested Effective Date: January 2, 2019
Authorization GO 96-B Rate Impact: \$See AL
Description: Parkway System Service Boundary Change See AL%

The protest or response deadline for this advice letter is 20 days from the date that this advice letter was mailed to the service list. Please see the "Response or Protest" section in the advice letter for more information.

Utility Contact: Lakhjit Thind
Phone: 916-568-4233
Email: lakhjit.thind@amwater.com

Utility Contact: Jeffrey Linam
Phone: 619-446-4776
Email: jeffrey.linam@amwater.com

DWA Contact: Tariff Unit
Phone: (415) 703-1133
Email: Water.Division@cpuc.ca.gov

DWA USE ONLY

<u>DATE</u>	<u>STAFF</u>	<u>COMMENTS</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____

APPROVED WITHDRAWN REJECTED

Signature: _____
Date: _____

Comments: _____



4701 Beloit Drive
Sacramento, CA 95838
www.amwater.com

P (916)-568-4251
F (916) 568-4260

December 3, 2018

ADVICE LETTER NO. 1219

TO THE PUBLIC UTILITIES COMMISSION OF THE STATE OF CALIFORNIA

California-American Water Company (Cal-Am) (U210W) submits for review this advice letter including the following tariff sheets applicable to its Sacramento District, which are attached hereto:

<u>C.P.U.C. Sheet No.</u>	<u>Title of Sheet</u>	<u>Canceling Sheet No.</u>
8872-W	Sacramento DISTRICT TARIFF AREA	6596-W
8873-W	TABLE OF CONTENTS (Page 2)	8854-W
8874-W	TABLE OF CONTENTS (Page 1)	8871-W

Purpose:

Cal-Am is filing this Advice Letter to update our current Sacramento District Parkway tariff map to bring it into compliance with our actual territory.

Background:

Cal-Am is requesting to update its current Parkway System tariff map on file with the California Public Utilities Commission's Water division to bring into compliance with the actual territory area served by Cal-Am. Per the enclosed correspondence, Cal-Am contacted the City of Sacramento and confirmed that the City of Sacramento's records also show the area at issue is part of Cal-Am's service territory.

No increase to any rate or charge will result from this filing, cause the withdrawal of service nor conflict with other schedules or rules. Cal-Am is requesting that this advice letter filing become effective 30 days after the filing date. Submission of these tariffs is made pursuant to Section 8.1 of the Water Industry Rules in General Order 96-B, and Cal-Am has completed its GIS conversion process for the Parkway System maps. The updated map includes service territory that was shown on Cal-Am's previous update. Also, map layout is updated to show boundaries of the service area, and location of the service area in relation to nearby cities and highways.

Tier Designation:

In accordance with General Order (GO) No. 96B, this advice letter is designated as a Tier 1 filing.

Effective Date:

California American requests an effective date of January 2, 2018.

Service List:

Pursuant to Section 4.3 of General Order No. 96-B, a copy of this advice letter is being sent to those entities listed in the attached "SERVICE LIST PURSUANT TO SECTION 4.3 OF G.O. NO. 96-B." Additionally, following Section 4.2 of General Order No. 96-B (addressing service of advice letters for service area extensions), a copy of this advice letter is being sent to the Local Agency Formation Commission (LAFCO) in the county where the service modification/update is occurring (Sacramento County), on each owner of real property, local fire protection agency, and subdivision permitting agency in the area where service will be modified/updated. In line with Water Industry Rule 4.1(2), a copy of the advice letter is being sent to the water utility serving areas adjacent to the affected service areas. Entities to which this advice letter is being mailed in accordance with Section 4.2 of General Order No. 96-B and with Water Industry Rule 4.1(2) are included in Exhibit A. Copies of the detailed workpapers and the documents supporting this Advice Letter have also been furnished to the Commission Staff.

RESPONSE OR PROTEST¹

Anyone may submit a response or protest for this AL. When submitting a response or protest, **please include the utility name and advice letter number in the subject line.**

A **response** supports the filing and may contain information that proves useful to the Commission in evaluating the AL. A **protest** objects to the AL in whole or in part and must set forth the specific grounds on which it is based. These grounds² are:

- (1) The utility did not properly serve or give notice of the AL;
- (2) The relief requested in the AL would violate statute or Commission order, or is not authorized by statute or Commission order on which the utility relies;
- (3) The analysis, calculations, or data in the AL contain material error or omissions;
- (4) The relief requested in the AL is pending before the Commission in a formal proceeding; or
- (5) The relief requested in the AL requires consideration in a formal hearing, or is otherwise inappropriate for the AL process; or
- (6) The relief requested in the AL is unjust, unreasonable, or discriminatory, provided that such a protest may not be made where it would require relitigating a prior order of the Commission.

A protest may not rely on policy objections to an AL where the relief requested in the AL follows rules or directions established by statute or Commission order applicable to the utility. A protest shall provide citations or proofs where available to allow staff to properly consider the protest.

DWA must receive a response or protest via email (or postal mail) within 20 days of the date the AL is filed. When submitting a response or protest, **please include the utility name and advice letter number in the subject line.**

The addresses for submitting a response or protest are:

¹ G.O. 96-B, General Rule 7.4.1

² G.O. 96-B, General Rule 7.4.2

Email Address:
Water.Division@cpuc.ca.gov

Mailing Address:
CA Public Utilities Commission
Division of Water and Audits
505 Van Ness Avenue
San Francisco, CA 94102

On the same day the response or protest is submitted to DWA, the respondent or protestant shall send a copy of the protest to Cal-Am at:

Email Address:

lakhjit.thind@amwater.com

sarah.leeper@amwater.com

Kamilah.jones@amwater.com

Mailing Address:

4701 Beloit Drive
Sacramento, CA 95838

555 Montgomery Street, Suite 816
San Francisco, CA 94111

4701 Beloit Drive
Sacramento, CA 95838

Cities and counties that need Board of Supervisors or Board of Commissioners approval to protest should inform DWA, within the 20 day protest period, so that a late filed protest can be entertained. The informing document should include an estimate of the date the proposed protest might be voted on.

REPLIES³

The utility shall reply to each protest and may reply to any response. Any reply must be received by DWA within five business days after the end of the protest period, and shall be served on the same day on each person who filed the protest or response to the AL.

The actions requested in this advice letter are not now the subject of any formal filings with the California Public Utilities Commission, including a formal complaint, nor action in any court of law.

This filing will not cause the withdrawal of service, nor conflict with other schedules or rules.

If you have not received a reply to your protest within 10 business days, please contact me at (916) 568-4255.

CALIFORNIA-AMERICAN WATER COMPANY

/s/ Jeffrey T. Linam

Jeffrey T. Linam
Vice President of Rates & Regulatory

³ G.O. 96-B, General Rule 7.4.3

CALIFORNIA-AMERICAN WATER COMPANY

655 W. Broadway, Suite 1410
San Diego, CA 92101

Cancelling Revised
Original

Cal. P.U.C. Sheet No. 8872-W
Cal. P.U.C. Sheet No. 6596-W

Sacramento District Tariff Area

Sheet 5

(See Attached)

(Continued)

(TO BE INSERTED BY UTILITY)	ISSUED BY	(TO BE INSERTED BY C.P.U.C.)
Advice 1219	J. T. LINAM	Date Filed <u>12/03/2018</u>
Decision	DIRECTOR - Rates & Regulatory	Effective <u>01/02/2019</u>
		Resolution _____

6720000

6728000

6736000

1936000

1936000

1936000

6720000

6728000

6736000


1936000



1936000

1936000


Service Area Map Sacramento District Parkway PG. 5

Legend

 Service Area Boundary



0 2,300 4,600 Feet



Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, © OpenStreetMap contributors, and the GIS User Community

TABLE OF CONTENTS

Sheet 2

<u>SUBJECT MATTER OF SHEET</u>	<u>C.P.U.C. SHEET NO.</u>
<u>SERVICE AREA MAP (Continued):</u>	
Sacramento	8511-W, 6592-W, 6593-W, 8664-W, 6595-W, 8872-W, 7500-W, 8794-W, (C) 6599-W, 6600-W
Sacramento- Dunnigan	8163-W
Sacramento- Geyserville	8321-W
Sacramento - Meadowbrook	8512-W
San Diego County	6601-W, 6602-W
Ventura County	6603-W, 6604-W
<u>RATE SCHEDULES:</u>	
All Districts -- Low Income Ratepayer Assistance Program	
CA-LIRA	California American Water 8745-W, 8746-W, 8747-W, 8748-W, Low Income Ratepayer Assistance 8749-W, 8750-W, 8762-W, 7724-W, Program 7725-W, 7726-W
CA-4	California American Water 8473-W, 8744-W, 7739-W, 7740-W, Private Fire Protection Service 7741-W, 8001-W, 8020-W, 8021-W, 7628-W, 7625-W, 7636-W, 7640-W, 7643-W, 7632-W, 7634-W, 8197-W, 8206-W
CA-4H	Private Fire Hydrant Service 8742-W, 7743-W, 7744-W, 8186-W, 8002-W, 8022-W, 7626-W, 7641-W
Larkfield District	
LK-1	General Metered Service 8720-W, 8797-W, 8791-W, 8845-W, 8018-W, 7633-W
LK-F	Facilities Fees 7651-W
Los Angeles County District	
LA-1	General Metered Service 8722-W, 8723-W, 8798-W, 8784-W, 8785-W, 8852-W, 8016-W, 7630-W
LA-3M	Measured Irrigation Service 8725-W, 7712, 8547-W, 8853-W, 8017- W, 7631-W
Monterey County District (Monterey Main, Hidden Hills, Ryan Ranch, & Bishop Service Areas)	
MO-1-SF	General Metered Service 8811-W, 8813-W, 8814-W, 8815-W, Single Family Residential Customers 8839-W, 8399-W, 8817-W, 8023-W, 8812-W
MO-1-MF	General Metered Service 8818-W, 8820-W, 8821-W, 8822-W, Multi-Residential Customers 8840-W, 8824-W, 8819-W
MO-1C	General Metered Service 8825-W, 7673-W, 7674-W, 7675-W, Non-Residential Customers 8826-W, 8454-W, 8827-W, 8841-W, 8227-W, 8829-W,
MO-1O	General Metered Service 8830-W, 8831-W, 8832-W, 8833-W, Other Customers 8834-W, 8842-W, 8836-W,

(Continued)

(TO BE INSERTED BY UTILITY)	ISSUED BY	(TO BE INSERTED BY C.P.U.C.)
Advice 1219	J. T. LINAM	Date Filed <u>12/03/2018</u>
Decision	DIRECTOR - Rates & Regulatory	Effective <u>01/02/2019</u>
		Resolution _____

TABLE OF CONTENTS

Sheet 1

<u>SUBJECT MATTER OF SHEET</u>	<u>C.P.U.C. SHEET NO.</u>
TITLE PAGE	8662-W
TABLE OF CONTENT	8874-W, 8873-W, 8850-W, 8870-W, (C) 8770-W, 8869-W, 8868-W, 8593-W, 8071-W
PRELIMINARY STATEMENTS	7828-W, 8517-W, 8755-W 7748-W, 7749-W, 7750-W, 7751-W, 7752-W, 7753-W, 7754-W, 7755-W, 7756-W, 7757-W, 8079-W, 7759-W, 7830-W, 7831-W, 7832-W, 7833-W, 7834-W, 7835-W, 7836-W, 7837-W, 7838-W, 7769-W, 7770-W, 7771-W, 7772-W, 7773-W, 7774-W, 7775-W, 7776-W, 7777-W, 7778-W, 7779-W, 7780-W, 7781-W, 7782-W, 7783-W, 7784-W, 7785-W, 7786-W, 7787-W, 7788-W, 7789-W, 7790-W, 7791-W, 7792-W, 7793-W, 7794-W, 7839-W, 7796-W, 7797-W, 7798-W, 7799-W, 7800-W, 7801-W, 7802-W, 7803-W, 7804-W, 8510-W, 8081-W, 8082-W, 8178-W, 8302-W, 8459-W, 8460-W, 8516-W, 8756-W
<u>SERVICE AREA MAP:</u> California-American Water Company	5470-W
Larkfield	6569-W
Los Angeles County Baldwin Hills Duarte San Marino	6570-W 6571-W, 6572-W, 6578-W 6573-W, 6574-W, 6575-W, 6576-W, 8211-W
Monterey County	7053-W, 6580-W, ,6581-W, 6582-W, 6583-W, 6584-W, 6585-W, 6586-W, 6587-W, 6588-W, 6589-W, 6590-W, 944 -W, 945 -W, 947 -W, 948 -W, 949 -W, 950 -W, 951 -W, 952 -W, 953 -W, 954 -W, 955 -W, 957 -W, 958 -W, 959 -W, 960 -W, 961 -W, 962-W, 963 -W, 964 -W, 966 -W, 967 -W, 968 -W, 969 -W, 971 -W, 972 -W, 973 -W, 974 -W, 975 -W, 976 -W, 977 -W, 978 -W, 979 -W, 980 -W, 981 -W, 982 -W, 983 -W, 984 -W, 7054-W

(Continued)

<u>(TO BE INSERTED BY UTILITY)</u>	<u>ISSUED BY</u>	<u>(TO BE INSERTED BY C.P.U.C.)</u>
Advice 1219	J. T. LINAM	Date Filed <u>12/03/2018</u>
Decision	DIRECTOR - Rates & Regulatory	Effective <u>01/02/2019</u>
		Resolution _____